



<b>Product</b>	<b>Protected by:</b>
<b>CyberKey® smart keys</b>	
<b>CK-BLUE2</b>	For use under U.S. Pat. Nos. 6,615,625; 9,841,743. Other patents pending.
<b>CK-AIR</b>	For use under U.S. Pat. Nos. 6,615,625; 9,841,743. Other patents pending.
<b>CK-FSH</b>	For use under U.S. Pat. Nos. 6,615,625; 9,841,743. Other patents pending.
<b>CK-PLUS</b>	For use under U.S. Pat. No. 6,615,625.
<b>CK-RBT</b>	For use under U.S. Pat. Nos. 6,615,625; 9,841,743. Other patents pending.
<b>CK-RXD2</b>	U.S. Pat. No. D579,318. For use under U.S. Pat. No. 6,615,625.
<b>CK-RXD2-S</b>	U.S. Pat. No. D579,318. For use under U.S. Pat. No. 6,615,625.
<b>CK-RXD</b>	U.S. Pat. No. D579,318. For use under U.S. Pat. No. 6,615,625.
<b>CK-RXD-S</b>	U.S. Pat. No. D579,318. For use under U.S. Pat. No. 6,615,625.
<b>CK-IR7</b>	For use under U.S. Pat. No. 6,615,625.
<b>CK-IR7-ROHS</b>	For use under U.S. Pat. No. 6,615,625.
<b>CK-IR7-S</b>	For use under U.S. Pat. No. 6,615,625.
<b>CK-IR7C</b>	For use under U.S. Pat. No. 6,615,625.
<b>CyberLock® e-Cylinders</b>	
<b>CL-6P1</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-6P2</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-6P3WR</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-6P3WRP</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-7P1</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-C10N</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-C11ND</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-C12N</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-C13N</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-C14N</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-C15N</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-C16N</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.

<b>CL-C17N</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-C18N</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-C19N</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-C1N</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-C1N-90</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-C2N</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-C3N</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-C5N</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-C5NC</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-C6N</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-C6NF</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-C7N</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-C8N</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-C9N</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-CA</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-CA2D</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-CB</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-FK4141R</b>	U.S. Pat. Nos. 6,604,394; 6,718,806; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-FR050</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-FR-050B</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-FR075</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-FR100</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-FR120</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-IKC</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.

<b>CL-KB1</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-LF01</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-M14</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-M2</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-M2C</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-M4</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-M4C</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-OK3535</b>	U.S. Pat. Nos. 6,604,394; 6,718,806; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-OVL</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-OVLD</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-OVLD2</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-OVLI</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-OVLWR</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-PD3030</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-PD3535</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-PD4545</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-PD6030</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-PDFR4045</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-PH30</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-PH30T</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-PH32.5C</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-PH35</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-PH37C</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-PH40</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.

<b>CL-PH42C</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-PH45</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-PH55</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-PH65C</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-PH80</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-PH80C</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-PHS32.5XD</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-PHS36</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-PK3030</b>	U.S. Pat. Nos. 6,604,394; 6,718,806; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-PK32.530C</b>	U.S. Pat. Nos. 6,604,394; 6,718,806; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-PK3535</b>	U.S. Pat. Nos. 6,604,394; 6,718,806; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-PK3550</b>	U.S. Pat. Nos. 6,604,394; 6,718,806; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-PK3735C</b>	U.S. Pat. Nos. 6,604,394; 6,718,806; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-PK4030</b>	U.S. Pat. Nos. 6,604,394; 6,718,806; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-PK4030C</b>	U.S. Pat. Nos. 6,604,394; 6,718,806; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-PK5030</b>	U.S. Pat. Nos. 6,604,394; 6,718,806; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-PK5050</b>	U.S. Pat. Nos. 6,604,394; 6,718,806; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-PK6030</b>	U.S. Pat. Nos. 6,604,394; 6,718,806; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-PK7030</b>	U.S. Pat. Nos. 6,604,394; 6,718,806; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-PK8030</b>	U.S. Pat. Nos. 6,604,394; 6,718,806; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-PKS3635</b>	U.S. Pat. Nos. 6,604,394; 6,718,806; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-PKS6030</b>	U.S. Pat. Nos. 6,604,394; 6,718,806; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-PKS6030R</b>	U.S. Pat. Nos. 6,604,394; 6,718,806; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-PL2WR</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.

<b>CL-PL2WRD</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-PL3WRD</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-PL5WRD</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-PL6WR</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-PM1D</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-PM2D</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-R1</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-R2</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-RK29</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-RK29C</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-RND29</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-RND29WR</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-RP1</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-RP2</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-RWR</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-S02</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-SD3232</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-SF03</b>	U.S. Pat. Nos. 6,604,394; 6,474,122; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-SF03-A</b>	U.S. Pat. Nos. 6,604,394; 6,474,122; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-SH32</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-SK3232</b>	U.S. Pat. Nos. 6,604,394; 6,718,806; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-SK3232R</b>	U.S. Pat. Nos. 6,604,394; 6,718,806; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-SM2</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-TC1</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.

<b>CL-TCG</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CL-TEL</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>CLT-530</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. Nos. 6,615,625; 9,841,743.
<b>CLT-570</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. Nos. 6,615,625; 9,841,743.
<b>CLT-570D</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. Nos. 6,615,625; 9,841,743.
<b>CLT-6P1</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. Nos. 6,615,625; 9,841,743.
<b>CLT-6P3WR</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. Nos. 6,615,625; 9,841,743.
<b>CLT-C14N</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. Nos. 6,615,625; 9,841,743.
<b>CLT-C15N</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. Nos. 6,615,625; 9,841,743.
<b>CLT-C16N</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. Nos. 6,615,625; 9,841,743.
<b>CLT-C19N</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. Nos. 6,615,625; 9,841,743.
<b>CLT-C1N</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. Nos. 6,615,625; 9,841,743.
<b>CLT-C6N</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. Nos. 6,615,625; 9,841,743.
<b>CLT-LF01</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. Nos. 6,615,625; 9,841,743.
<b>CLT-M2</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. Nos. 6,615,625; 9,841,743.
<b>CLT-M4</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. Nos. 6,615,625; 9,841,743.
<b>CLT-PD3535</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. Nos. 6,615,625; 9,841,743.
<b>CLT-PH30</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. Nos. 6,615,625; 9,841,743.
<b>CLT-PH35</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. Nos. 6,615,625; 9,841,743.
<b>CLT-PHS36</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. Nos. 6,615,625; 9,841,743.
<b>CLT-PK3535</b>	U.S. Pat. Nos. 6,604,394; 6,718,806; 6,895,792. For use under U.S. Pat. Nos. 6,615,625; 9,841,743.
<b>CLT-PK5050</b>	U.S. Pat. Nos. 6,604,394; 6,718,806; 6,895,792. For use under U.S. Pat. Nos. 6,615,625; 9,841,743.
<b>CLTPKS3635</b>	U.S. Pat. Nos. 6,604,394; 6,718,806; 6,895,792. For use under U.S. Pat. Nos. 6,615,625; 9,841,743.
<b>CLT-PL4WR</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. Nos. 6,615,625; 9,841,743.

<b>CLT-R1</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. Nos. 6,615,625; 9,841,743.
<b>CLT-R2</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. Nos. 6,615,625; 9,841,743.
<b>CLT-S02</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. Nos. 6,615,625; 9,841,743.
<b>CLT-SF03</b>	U.S. Pat. Nos. 6,604,394; 6,474,122; 6,895,792. For use under U.S. Pat. Nos. 6,615,625; 9,841,743.
<b>CLT-SM2</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. Nos. 6,615,625; 9,841,743.
<b>CLT-T6H</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. Nos. 6,615,625; 9,841,743.
<b>CLT-T7H</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. Nos. 6,615,625; 9,841,743.
<b>CLTX-PL5WRD</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. Nos. 6,615,625; 9,841,743.
<b>PL-01</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>PL-01-A</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>PL-01KR</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>PL-01KR-A</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>PL-02</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>PL-02-A</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>PL-02KR-A</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>PL-03</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>PL-03-A</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>PL-03KR-A</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>PL-BB45</b>	U.S. Pat. Nos. 6,604,394; 6,895,792; 7,698,916. For use under U.S. Pat. No. 9,841,743.
<b>PL-HP1</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. No. 9,841,743.
<b>PLT-01</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. Nos. 6,615,625; 9,841,743.
<b>PLT-01KR</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. Nos. 6,615,625; 9,841,743.
<b>PLT-02</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. Nos. 6,615,625; 9,841,743.
<b>PLT-02KR</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. Nos. 6,615,625; 9,841,743.

<b>PLT-03</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. Nos. 6,615,625; 9,841,743.
<b>PLT-03KR</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. Nos. 6,615,625; 9,841,743.
<b>PLT-BB45</b>	U.S. Pat. Nos. 6,604,394; 6,895,792; 7,698,916. For use under U.S. Pat. Nos. 6,615,625; 9,841,743.
<b>PLT-HP1</b>	U.S. Pat. Nos. 6,604,394; 6,895,792. For use under U.S. Pat. Nos. 6,615,625; 9,841,743.
<b>CyberLock® Access Control Administration Servers</b>	
<b>SE-100</b>	For use under U.S. Pat. No. 9,841,743. Other patents pending.
<b>SVR-CAW-400</b>	For use under U.S. Pat. No. 9,841,743. Other patents pending.
<b>FlashLock® Optical Wireless Access Control</b>	
<b>FL-M4</b>	U.S. Pat. Nos. 9,847,020; D769,696. Other patents pending.
<b>FL-PH30</b>	U.S. Pat. Nos. 9,847,020; D769,696. Other patents pending.
<b>FL-PL02</b>	U.S. Pat. Nos. 9,847,020. Other patents pending.
<b>CyberBadge® Data Collection System</b>	
<b>CB-2D-008</b>	U.S. Pat. No. D744,482.

In accordance with the virtual marking provisions of various jurisdictions, namely the virtual marking provisions of the Leahy–Smith America Invent Act, this list identifies items manufactured and/or sold by Videx that are protected by various patents in the U.S. and other jurisdictions. This document is intended to serve as notice under 35 U.S.C. § 287(a). Items listed above may be sold individually or as part of a combination product. If you have any questions about this list, please contact Videx at [legal@videx.com](mailto:legal@videx.com).

For detailed product descriptions and specifications, visit [www.cyberlock.com](http://www.cyberlock.com).  
Last revised January 2018