



<b>Product</b>	<b>Protected by:</b>
<b>CyberKey® smart keys</b>	
<b>CK-BLUE2</b> <b>CKR-BLUE*</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391. Other patents pending.
<b>CKR-GO</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391. Other patents pending.
<b>CK-AIR</b> <b>CK*-AIR2</b>	For use under U.S. Pat. Nos. 9,841,743; 11,010,995; 12,347,255. Other patents pending. D832,678 (CK-AIR2 only).
<b>CK*-FLASH</b>	D832,678. For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391. Other patents pending.
<b>CK-PLUS</b>	For use under U.S. Pat. Nos. 11,010,995; 11,580,801.
<b>CK*-USB</b>	For use under U.S. Pat. Nos. 11,010,995; 11,580,801.
<b>CKR-X*</b>	For use under U.S. Pat. Nos. 11,010,995; 11,580,801.
<b>CyberLock® e-Cylinders</b>	
<b>CL*-6P1</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-6P2</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-6P3WR</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-6P3WRP</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-7P1</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-C10N</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-C11ND</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-C12N</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-C13N</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-C14N</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-C15N</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-C16N</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-C17N</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-C18N</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.

<b>CL*-C19N</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-C1N</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-C1N-90</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-C2N</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-C3N</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-C5N</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-C5NC</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-C6N</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-C6NF</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-C7N</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-C8N</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-C9N</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-CA</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-CA2D</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-CB</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-FK4141R</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-FR050</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-FR-050B</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-FR075</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-FR100</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-FR120</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-IKC</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-KB1</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-LF01</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.

<b>CL*-M14</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-M2</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-M2C</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-M4</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-M4C</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-OK3535</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-OVL</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-OVLD</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-OVLD2</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-OVLI</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-OVLWR</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-PD3030</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-PD3535</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-PD4545</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-PD6030</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-PDFR4045</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-PH30</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-PH30T</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-PH32.5C</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-PH35</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-PH37C</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-PH40</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-PH42C</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-PH45</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.

<b>CL*-PH55</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-PH65C</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-PH80</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-PH80C</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-PHS32.5XD</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-PHS36</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-PK3030</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-PK32.530C</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-PK3535</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-PK3550</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-PK3735C</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-PK4030</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-PK4030C</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-PK5030</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-PK5050</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-PK6030</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-PK7030</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-PK8030</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-PKS3635</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-PKS6030</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-PKS6030R</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-PL2WR</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-PL2WRD</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-PL3WRD</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.

<b>CL*-PL5WRD</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-PL6WR</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-PM1D</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-PM2D</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-R1</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-R2</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-RK29</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-RK29C</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-RND29</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-RND29WR</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-RP1</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-RP2</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-RWR</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-S02</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-SD3232</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-SF03</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-SF03-A</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-SH32</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-SK3232</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-SK3232R</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-SM2</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-TC*</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CL*-TEL</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CLT*-530</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.

<b>CLT*-570</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CLT*-570D</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CLT*-6P1</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CLT*-6P3WR</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CLT*-C14N</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CLT*-C15N</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CLT*-C16N</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CLT*-C19N</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CLT*-C1N</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CLT*-C6N</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CLT*-LF01</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CLT*-M2</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CLT*-M4</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CLT*-PD3535</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CLT*-PH30</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CLT*-PH35</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CLT*-PHS36</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CLT*-PK3535</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CLT*-PK5050</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CLT*-PKS3635</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CLT*-PL4WR</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CLT*-R1</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CLT*-R2</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CLT*-S02</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.

<b>CLT*-SF03</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CLT*-SM2</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CLT*-T6H</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CLT*-T7H</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CLT*-PL5WRD</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>PL*-01</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>PL*-01-A</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>PL*-01KR</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>PL*-01KR-A</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>PL*-02</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>PL*-02-A</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>PL*-02KR-A</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>PL*-03</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>PL*-03-A</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>PL*-03KR-A</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>PL*-BB45</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>PL*-HP1</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>PLT*-01</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>PLT*-01KR</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>PLT*-02</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>PLT*-02KR</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>PLT*-03</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>PLT*-03KR</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>PLT*-BB45</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.

<b>PLT*-HP1</b>	For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 11,010,995; 11,580,801; 12,548,391.
<b>CyberLock® Access Control Administration Servers</b>	
<b>SE-100; SE-200</b>	U.S. Pat. No. 10,991,240. For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 10,643,461; 11,010,995; 11,580,801; 12,347,255; 12,548,391. Other patents pending.
<b>SVR-CAW-***</b>	U.S. Pat. No. 10,991,240. For use under U.S. Pat. Nos. 9,841,743; 10,115,256; 10,423,136; 10,643,461; 11,010,995; 11,580,801; 12,347,255; 12,548,391. Other patents pending.
<b>FlashLock® Optical Wireless Access Control</b>	
<b>FL-M4</b>	U.S. Pat. Nos. 9,847,020; 10,373,486; D769,696. For use under U.S. Pat. Nos. 10,643,461; 10,991,240, 11,367,343. Other patents pending.
<b>FL-PH30</b>	U.S. Pat. Nos. 9,847,020; 10,373,486; D769,696. For use under U.S. Pat. Nos. 10,643,461; 10,991,240, 11,367,343. Other patents pending.
<b>FL-PL02</b>	U.S. Pat. Nos. 9,847,020; 10,373,486. For use under U.S. Pat. Nos. 10,643,461; 10,991,240, 11,367,343. Other patents pending.
<b>FL-BOX-01*</b>	U.S. Pat. Nos. 9,847,020; 10,373,486. For use under U.S. Pat. Nos. 10,643,461; 10,991,240, 11,367,343. Other patents pending.
<b>FSR-FR01</b>	For use under U.S. Pat. Nos. 10,643,461; 10,991,240, 11,367,343. U.S. Pat. Nos. D966,128; D968,250. Other patents pending.
<b>FSR-FRK01</b>	For use under U.S. Pat. Nos. 10,643,461; 10,991,240, 11,367,343. U.S. Pat. No. D968,251. Other patents pending.
<b>FSR-SH02</b>	For use under U.S. Pat. Nos. 10,643,461; 10,991,240, 11,367,343. Other patents pending.
<b>CyberBadge® Data Collection System</b>	
<b>CB-2D-008</b>	U.S. Pat. No. D744,482.

\* Denotes wildcard, includes all part number variations

In accordance with the virtual marking provisions of various jurisdictions, namely the virtual marking provisions of the Leahy–Smith America Invent Act, this list identifies items manufactured and/or sold by Videx that are protected by various patents in the U.S. and other jurisdictions. This document is intended to serve as notice under 35 U.S.C. § 287(a). Items listed above may be sold individually or as part of a combination product. If you have any questions about this list, please contact Videx at [legal@videx.com](mailto:legal@videx.com).

For detailed product descriptions and specifications, visit [www.cyberlock.com](http://www.cyberlock.com).

**Last revised June 2026**